



**Luminaire** Catalogue  
**2025**

LED LIGHTING • OUTDOOR LIGHTING • ARCHITECTURAL LIGHTING



# Why choose TRABO

for lighting solutions

## Best products

Our LED lighting provides you with:

### **Unbeatable quality**

Industry-leading quality and reliability ensure our lights keep their output and light quality over the full warranted lifetime.

### **Easy-to-install**

The efficient design of the Lighting fixtures enables replacement of existing lights, with no need for expensive re-wiring or new ceiling configurations. Our LED lamps are compatible with most dimmers and transformers for easy installation, retaining their full specifications and lifetimes for lowest Total Cost of Ownership.

### **Leading the way**

With Trabo lighting you get much more than high quality and easy to install lighting solutions - you get LED lighting that's setting the reference in the industry. It has never been easier to bring the power of connected lighting to small- and medium-sized enterprises thanks to our InteractReady range that works seamlessly with the intuitive InteractPro software.

**TRABO** illuminates your world with state-of-the-art lighting solutions that will transform your living spaces like never before. As a leading provider of LED strip lights, we offer an extensive range of products at highly competitive prices without compromising on quality. Our human-centric approach to lighting merges cutting-edge aesthetics with technological and electronic expertise, making us a proud Indian brand that can elevate your lifestyle and bring a touch of sophistication to your decor. Our lighting solutions are designed to be more than just a replacement for conventional lighting. With an unprecedented lifespan and the highest efficacy of any commercial technology, TRABO lighting will take you beyond conventional lighting and into a world of unparalleled beauty and elegance.

### **Vision**

Our vision is to help our customers reduce their carbon footprint while enjoying healthy, safe, and sustainable lighting solutions that promote energy savings. We strive to achieve this through ethical business practices, global reach, technological expertise, and building long-term relationships with all our associates, customers, partners, and employees.

### **Mission**

At TRABO, we are committed to delivering exceptional customer delight and pursuing excellence by constantly improving ourselves, our teams, our services, and our products. We also set high standards for our business and products and lead by example. Join us on our journey to a brighter and more beautiful world.




# Ambient Light



# RIMLESS

DOWNLIGHT



CODE	POWER	CUT. SIZE	SHAPE	BEAM ANGLE	IP
TR001/12W	12W	Φ115MM	RD	120°	IP 20
TR001/18W	18W	Φ150MM	RD	120°	IP 20

BODY COLOR: BLACK & WHITE  
CCT: 3000K, 4000K, 6000K, 3IN1



# ZIGMA

BACKLIT



CODE	POWER	CUT. SIZE	SHAPE	BEAM ANGLE	IP
TR002/12W	12W	100MM	ROUND	120°	IP 20
TR002/18W	18W	125MM	ROUND	120°	IP 20

BODY COLOR: BLACK & WHITE  
CCT: 3000K, 4000K, 6000K



# DELTA

COB



CODE	POWER	CUT. SIZE	SHAPE	BEAM ANGLE	IP
TR003/7W	7W	Φ55MM	ROUND	45°	IP 20
TR003/12W	12W	Φ75MM	ROUND	45°	IP 20
TR003/18W	18W	Φ80MM	ROUND	45°	IP 20

BODY COLOR: BLACK & WHITE  
CCT: 3000K, 4000K, 6000K, 3IN1



# SIGMA

COB



CODE	POWER	CUT. SIZE	DIMENSION	BEAM ANGLE	IP
TR004/7W	7W	60 MM	D70*H55	120°	IP20
TR004/12W	12W	75MM	D88*H60	120°	IP20

REFLECTOR




BODY COLOR: BLACK & WHITE  
CCT: 3000K, 4000K, 6000K





# GRACE

COB



Detachable

CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR005/12W	12W	75MM	38°	IP20

BODY COLOR: WHITE (SATIN REFLECTOR)  
CCT: 4000K



# COOPER

COB



CODE	POWER	CUT. SIZE	SHAPE	BEAM ANGLE	IP
TR006/12W	12W	Φ 75MM	ROUND	38°	IP 20

BODY COLOR: BLACK (SATIN REFLECTOR)  
CCT: 4000K



**PLUTO**  
COB



2  
YEAR  
WARRANTY

LONG  
LIFE

EXCELLENT  
CRI

CODE	POWER	CUT. SIZE	SHAPE	BEAM ANGLE	IP
TR007/03W	3W	Φ 35MM	ROUND	38°	IP 20

BODY COLOR: BLACK & COPPER FINISH  
CCT: 3000K



# GLINT

COB



CODE	POWER	CUT. SIZE	SHAPE	BEAM ANGLE	IP
TR008/08W	8W	Φ 55MM	ROUND	38°	IP20
TR008/15W	15W	Φ 75MM	ROUND	38°	IP20
TR008/20W	20W	Φ 85MM	ROUND	38°	IP20

BODY COLOR: BLACK, ROSE GOLD  
CCT: 3000K, 4000K, 6000K, 3in1



# LUKE

COB



CODE	POWER	CUT. SIZE	SHAPE	BEAM ANGLE	IP
TR009/08W	8W	Φ 65MM	ROUND	38°	IP20
TR009/15W	15W	Φ 80MM	ROUND	38°	IP20
TR009/20W	20W	Φ 90MM	ROUND	38°	IP20

REFLECTOR



BODY COLOR: BLACK, WHITE  
CCT: 3000K, 4000K, 5000K, 6000K



# AMBER

COB



CODE	POWER	SHAPE	BEAM ANGLE	IP
TR010/4W	4W	ROUND	45°	IP20
TR010/6W	6W	ROUND	45°	IP20
TR010/9W	9W	ROUND	45°	IP20
TR010/16W	16W	ROUND	45°	IP20
TR010/30W	30W	ROUND	45°	IP20
TR010/50W	50W	ROUND	45°	IP20

BODY COLOR: WHITE  
CCT: 3000K, 4000K, 6000K



# LINEAR SPOT LIGHT

COB



CODE	POWER	CUT. SIZE	SHAPE	BEAM ANGLE	IP
TR011/06W	6W	Φ 58x35MM	RECTANGLE	30°	IP20
TR011/12W	12W	Φ 137x35MM	RECTANGLE	30°	IP20
TR011/20W	20W	Φ 237x37MM	RECTANGLE	30°	IP20

REFLECTOR



BODY COLOR: Black  
CCT: 4000K



# DUAL

COB



CODE	POWER	CUT. SIZE	SHAPE	BEAM ANGLE	IP
TR012/14W	7x2W	Φ 55x115MM	RECTANGLE	38°	IP20

BODY COLOR: WHITE (With Black Reflector)  
CCT: 4000K





# PULL OUT

COB



CODE	POWER	CUT. SIZE	SHAPE	BEAM ANGLE	IP
TR013/12W	12W	Φ75MM	ROUND	38°	IP20

BODY COLOR: WHITE (With Black Reflector)  
CCT: 4000K

# Eiffel

COB



CODE	POWER	CUT. SIZE	DIMENSION	SHAPE	BEAM ANGLE	IP
TR014/7W	7W	Φ 65MM	25MM	ROUND	38°	IP20

BODY COLOR: BLACK  
Available in : 4000K

Eiffel COB





*Glow* Beyond Limits  
**SURFACE LIGHTS**

# SLIM SURFACE PANEL

ALUMINIUM DIE CAST



CODE	POWER	SHAPE	DIMENSION	BEAM ANGLE	IP
TR101/8W	8W	ROUND	120MM	120°	IP20
TR101/15W	15W		175MM	120°	IP20
TR101/22W	22W		220MM	120°	IP20


AVAILABLE IN: 3000K, 4000K, 6000K

BODY COLOR: WHITE

CCT: 3000K, 4000K, 6000K, 3in1

# OMEGA CYLINDER

SURFACE COB



CODE	POWER	DIMENSION	BEAM ANGLE	IP
TR102/12W	12W	Φ 70x90MM	38°	IP20
TR102/30W	30W	Φ 115x152MM	45°	IP65
TR102/50W	50W	Φ 140x162	45°	IP65

REFLECTOR



BODY COLOR: WHITE, BLACK  
CCT: 3000K, 4000K



# ALPHA CYLINDER

SURFACE COB



CODE	POWER	DIMENSION	BEAM ANGLE	IP
TR103/8W	8W	D:60,H:80MM	38°	IP20
TR103/15W	15W	D:75,H:90MM	38°	IP20

REFLECTOR



BODY COLOR: BLACK  
CCT: 3000K, 4000K, 6000K



# NEO

SURFACE COB



CODE	POWER	ANGLE	IP
TR104/07W	7W	360° Movable	IP20

Available in: 4000K

BODY COLOR: BLACK  
CCT: 3000K, 4000K, 6000K



# MINI

## SURFACE COB



CODE	POWER	DIMENSION	BEAM ANGLE	IP
TR105/02W	2W	D:35,H:20MM	45°	IP20
TR105/03W	3W	D:40,H:20MM	45°	IP20

BODY COLOR: ROSE GOLD, BLACK, BRASS  
CCT: 3000K





# LUXE

## SURFACE CYLINDER



CODE	POWER	DIMENSION	ANGLE	IP
TR106/12W	12W	D:90,H:162MM	38° Movable	IP20

BODY COLOR: BLACK  
CCT: 4000K



# GRACE SURFACE SPOT LIGHT

ALUMINIUM DIE-CAST



CODE	POWER	REFLECTOR	OUTER	HEIGHT	BEAM ANGLE	IP
TR107/12W	12W	BLACK	70MM	80MM	36°	IP20

Available in: 4000K

BODY COLOR: BLACK, WHITE  
CCT: 4000K



# JADE

SURFACE CYLINDER



CODE	POWER	DIMENSION	ANGLE	IP
TR108/12W	12W	D:75,H:115MM	38°	IP20

CCT: 4000K  
BODY COLOR:  
BRASS, ROSE GOLD, COPPER, GOLDEN





**LED Strip *Light***

**Best in Class -Light Output**  
(400Lumen/meter)

**CRI <80**

LED Strip Lights that  
in Every Hue!

*Sparkle*

**STRIP LIGHT**



# STRIP LIGHT



CODE	LENGTH	WIDTH	LED	IP	COLOR
TR201	5 MTR.	5MM	120/180	IP20	WHITE, WARM WHITE, NATURAL WHITE
TR202	5 MTR.	10MM	120	IP20	WHITE, WARM WHITE, NATURAL WHITE
TR203	5 MTR.	10MM	240	IP20	WHITE, WARM WHITE, NATURAL WHITE
TR204	5 MTR.	10MM	320 (COB)	IP65	WARM WHITE
TR205/3014 ROPE LIGHT	40 MTR.	12MM	108	IP65	WARM WHITE, NATURAL WHITE, RED, BLUE, PINK
TR206/2835 ROPE LIGHT	50 MTR.	12MM	120	IP65	WHITE, WARM WHITE, NATURAL WHITE, ICE BLUE






# DRIVER-STRIP



CODE	AMP.	WATTAGE	PF	IP
TR207/12V	2Amp.	24W	>0.9	IP20
TR208/12V	5Amp.	60W	>0.9	IP20
TR208-A/12V <small>(Premium)</small>	5Amp.	60W	>0.9	IP20
TR209/12V	10Amp.	120W	>0.9	IP20
TR210/12V	25Amp.	300W	>0.9	IP20

# PROFILE LIGHTING

## ALUMINIUM PROFILE



Sr.No.	CODE	PRODUCT NAME	SIZE	AVAILABLE SIZE METER	PACKING SIZE
01	TR301	SURFACE PROFILE	7MM x 9MM	2 METER	400 MTR.
02	TR302	CONCEALED PROFILE	7MM x 9MM	2 METER	400 MTR.
03	TR303	SURFACE PORIFLE	11 MM x 9 MM	2 METER	400 MTR.
04	TR304	CONCEALED PROFILE	11 MM x 9 MM	2 METER	400 MTR.

Sr. No.	CODE	PRODUCT NAME	SIZE	AVAILABLE SIZE METER	PACKING SIZE
05	TR305	SURFACE PROFILE	17MM x 7 MM	2 METER	600 MTR.
06	TR306	CONCEALED PROFILE	17MM x 7 MM	2 METER	600 MTR.
07	TR307	SURFACE PROFILE	25 MM x 12 MM	2 METER	400 MTR.
08	TR308	CONCEALED PROFILE	25 MM x 12 MM	2 METER	400 MTR.
09	TR309	SURFACE PROFILE	23 MM x 23 MM	2 METER	60 MTR.
10	TR310	CONCEALED PROFILE	23 MM x 23 MM	2 METER	60 MTR.
11	TR311	CORNER PROFILE	16 MM x16 MM	2 METER	400 MTR
12	TR312	SURFACE PORILE	35 MM x 12 MM	2 METER	180 MTR
13	TR313	CONCEALED PROFILE	35 MM x 12 MM	2 METER	180 MTR
14	TR314	SURFACE PROFILE	35 MM x 35 MM	2 METER	60 MTR
15	TR315	CONCEALED PROFILE	35 MM x 35 MM	2 METER	60 MTR
16	TR316	SURFACE PROFILE	50 MM x 12 MM	2 METER	150 MTR
17	TR317	CONCEALED PROFILE	50 MM x 12 MM	2 METER	150 MTR
18	TR318	SURFACE PROFILE	50 MM x 35 MM	2 METER	60 MTR
19	TR319	CONCEALED PROFILE	50 MM x 35 MM	2 METER	60 MTR
20	TR320	SURFACE PROFILE	75 MM x 35 MM	2 METER	60 MTR
21	TR321	CONCEALED PROFILE	75 MM x 35 MM	2 METER	60 MTR
22	TR322	SURFACE PROFILE	100 MM x 35 MM	2 METER	60 MTR
23	TR323	CONCEALED PROFILE	100 MM x 35 MM	2 METER	60 MTR
24	TR324	ROUND PROFILE	60 MM	2.44 METER	60 MTR
25	TR325	TUNNEL Indirect LIGHT	100 MM x 50 MM	3 METER	60 MTR
26	TR326	UP & DOWN LIGHT	24 MM X 70 MM	3 METER	60 MTR
27	TR327	HANGING KIT	1.5 /2 METER	2 METER	100 NOS.

# TRACK LIGHT




CODE	POWER	BODY COLOR	HOUSING	IP
TR401/16W	16W	BLACK	ALUMINUM	IP20
TR401/30W	30W	BLACK/White	ALUMINUM	IP20
TR401/50W	50W	BLACK/White	ALUMINUM	IP20

AVAILABLE IN : 3000K, 4000K, 6000K  
BODY COLOR: BLACK, WHITE




**LINEAR**  
TRACK LIGHT



CODE	POWER	BODY COLOR	ANGLE	IP
TR402/10W	10W	BLACK	180° ADJUSTABLE	IP20
TR402/20W	20W	BLACK	180° ADJUSTABLE	IP20
TR402/30W	30W	BLACK	180° ADJUSTABLE	IP20

AVAILABLE IN : 4000K

**FOCAL**  
TRACK LIGHT




CODE	POWER	BODY COLOR	BEAM ANGLE	IP
TR403/15W	15W	BLACK	ADJUSTABLE 15° TO 60°	IP20

AVAILABLE IN : 3000K, 4000K, 6000K



# TRACK

ACCESSORIES



**SURFACE TRACK PLATE**



**TRACK JOINTERS**



CODE	ITEM NAME	BODY COLOR	SIZE & TYPE
TR404	TRACK	BLACK	1MTR. and 2 MTR.
TR405	SURFACE TRACK PLATE	BLACK	-
TR406	TRACK JOINTERS	BLACK	I-Jointer, T-Jointer, L-Jointer



# MAGNETIC LIGHT



**MAGNETIC LINEAR  
TRACKLIGHT**  
ALUMINIUM DIE-CAST



CODE	POWER	SIZE	LUMENS	BODY COLOR	IP	CRI	
TR801	20W	600x22x25 MM	>100 lm/W	BLACK	IP20	>90	
TR802	20W	L300 + 300 X W22 X H25	>100 lm/W	BLACK	IP20	>90	

Available in 4500 K




# MAGNETIC LINEAR SPOT

ALUMINIUM



CODE	POWER	SIZE	LUMENS	BODY COLOR	IP	CRI	
TR803	12W	220X22X25MM	>100 lm/W	BLACK	IP20	>90	

Available in 4500 K






# WALL WASHIER LASER

TRACK LIGHT



CODE	POWER	SIZE	LUMENS	BODY COLOR	IP	CRI
TR810	12W	220X22X25MM	>100 lm/W	BLACK	IP20	>90

Available in 4500 K



# MAGNETIC CHANNEL

ALUMINIUM



CODE	POWER	SIZE	
TR804/1M	1 METER	W:63 X H:47MM	
TR805/2M	2 METER	W:63 X H:47MM	

Conceal | Available in 4500 K

# MAGNETIC " L" JOINTER

ALUMINIUM



CODE	ITEM NAME	SIZE	
TR806	CONCEAL L JOINTER	80MM X 80 MM	

# I CONNECTOR


MODULE



CODE	NAME	
TR807	I CONNECTOR MODULE	

# L CONNECTOR

MODULE



CODE	NAME	
TR808	L CONNECTOR MODULE	

# MAGNETIC

DRIVER

DRIVER  
100W



CODE	WATTAGE
TR809/100	100W

DRIVER  
200W



CODE	WATTAGE
TR809/200	200W



# OUTDOOR LIGHT

# GARDEN SPIKE LIGHT

ALUMINIUM DIE CAST



CODE	POWER	LUMENS	SURGE AND WITHSTAND VOLT	CRI	IP RATING
TR500/05W	5W	500LM	1.5KV/380Vac	>80%	IP66 WATERPROOF
TR500/09W	9W	900LM	2.5 KV/380 Vac	>80%	IP66 WATERPROOF
TR500/12W	12W	1200 LM	2.5 KV/380 Vac	>80%	IP66 WATERPROOF

AVAILABLE IN : WARM WHITE, GREEN, RGB





# BEAMER LIGHT

ALUMINIUM DIE CAST



CODE	POWER	IP RATING
TR501/12W	12W	ECO IP65 WATERPROOF
TR502/12W	12W	ECO IP67 WATERPROOF

AVAILABLE IN : WARM WHITE

# FLOOD LIGHT

ALUMINIUM



Pressure Die Cast Aluminium with toughened glass cover

CRI>90 PF> 0.9

CODE	POWER	SIZE (LxWxH)	LUMENS
TR601/50W	50W	205MM X 193MM X 41MM	>100 lm /W
TR602/100W	100W	275MM X 205MM X 42MM	>100 lm /W
TR603/150W	150W	337MM X 258MM X 43MM	>100 lm /W
TR604/200W	200W	387MM X 298MM X 43MM	>100 lm /W

OPERATING TEMP. RANGE: -20°C to 50°C

# BACKCHOKE

Flood



Aluminium Body with **Backchoke** & toughened glass

CRI>90 PF> 0.9

CODE	POWER	LUMENS
TR651/100W	100W	>100 lm /W
TR652/200W	200W	>100 lm /W
TR653/300W	300W	>100 lm /W
TR654/400W	400W	>100 lm /W
TR655/500W	500W	>100 lm /W

OPERATING TEMP. RANGE: -20°C to 50°C

**OVAL**  
STREET LIGHT



Oval Shape Pressure Die Cast Aluminium (Lens PAD)

CRI>90 PF> 0.9 IP65

CODE	POWER	LUMENS
TR701/24W	24W	>100 lm /W
TR702/36W	36W	>100 lm /W
TR703/50W	50W	>100 lm /W
TR704/100W	100W	>100 lm /W

Operating Temp. Range: -20°C to 50°C



## **TRABO LED LIGHTING**

Address: 2nd floor, Above HDFC Bank, Alark Shopping Mall,  
Lalghati Square, Bhopal (MP) -462030  
Contact No: 888-999-1466 | 888-999-1491 | 888-999-1494  
Email: [hellotrabo@gmail.com](mailto:hellotrabo@gmail.com)

Specifications mentioned are based on test reports at the time of preparation of this catalogue.

• Technical products are under continuous upgradation & specification may vary 5-10%, depending on testing standards/instruments • Value parameters are approximate • Images are for reference purpose only, drawn from photographs & rendering • Actual products may vary in appearance.

