



Where Innovation Meets Illumination.

•LED Lighting •Outdoor Lighting •Architectural Lighting

2026-27
Luminaire Catalogue

www.traboled.com



Why choose TRABO

for lighting solutions

Best products

Our LED lighting provides you with:

Unbeatable quality

Industry-leading quality and reliability ensure our lights keep their output and light quality over the full warranted lifetime.

Easy-to-install

The efficient design of the Lighting fixtures enables replacement of existing lights, with no need for expensive re-wiring or new ceiling configurations. Our LED lamps are compatible with most dimmers and transformers for easy installation, retaining their full specifications and lifetimes for lowest Total Cost of Ownership.

Leading the way

With Trabo lighting you get much more than high quality and easy to install lighting solutions - you get LED lighting that's setting the reference in the industry. It has never been easier to bring the power of connected lighting to small- and medium-sized enterprises thanks to our InteractReady range that works seamlessly with the intuitive InteractPro software.

TRABO illuminates your world with state-of-the-art lighting solutions that will transform your living spaces like never before. As a leading provider of LED strip lights, we offer an extensive range of products at highly competitive prices without compromising on quality. Our human-centric approach to lighting merges cutting-edge aesthetics with technological and electronic expertise, making us a proud Indian brand that can elevate your lifestyle and bring a touch of sophistication to your decor. Our lighting solutions are designed to be more than just a replacement for conventional lighting. With an unprecedented lifespan and the highest efficacy of any commercial technology, TRABO lighting will take you beyond conventional lighting and into a world of unparalleled beauty and elegance.

Vision

Our vision is to help our customers reduce their carbon footprint while enjoying healthy, safe, and sustainable lighting solutions that promote energy savings. We strive to achieve this through ethical business practices, global reach, technological expertise, and building long-term relationships with all our associates, customers, partners, and employees.

Mission

At TRABO, we are committed to delivering exceptional customer delight and pursuing excellence by constantly improving ourselves, our teams, our services, and our products. We also set high standards for our business and products and lead by example. Join us on our journey to a brighter and more beautiful world.



Downlighters Ambient Lighting
Overall Illumination , Ceiling Recessed
Panel or Downlighters

05-08



COB Lights Accent Lights
For Highlighting objects or areas, Creating
Drama or Focus

09-26

Surface Lights Exceptional Light
For General Room Lighting which can be placed
without POP Ceiling

27-45



Magnetic, Luxury Lights
Adjustable Lights mounted on a magnetic Channel,
Great for Accent or Task Lighting

46-53

Outdoor Light
It's All about Blending function with
Aesthetics

56-74





DOWN-LIGHTER COLLECTION

RIMLESS

DOWNLIGHT



CODE	POWER	CUT. SIZE	SHAPE	BEAM ANGLE	IP
TR-RMS/12W	12W	Φ115MM	RD	120°	IP 20
TR-RMS/18W	18W	Φ150MM	RD	120°	IP 20

BODY COLOR: BLACK & WHITE
CCT: 3000K, 4000K, 6000K, 3IN1



ATLAS

DOWNLIGHT



CODE	POWER	CUT. SIZE	SHAPE	BEAM ANGLE	IP
TR-ATL/18W	18W	Φ 105MM	RD	120°	IP 20
TR-ATL/24W	24W	Φ 155MM	RD	120°	IP 20

BODY COLOR: BLACK, WHITE
CCT: 3000K, 4000K, 6000K, 3IN1



ZIGMA

BACKLIT



CODE	POWER	CUT SIZE	SHAPE	BEAM ANGLE	IP
TR-ZGM/12W	12W	100MM	ROUND	120°	IP 20
TR-ZGM/18W	18W	125MM	ROUND	120°	IP 20
TR-ZGM/24W	24W	150MM	ROUND	120°	IP 20

BODY COLOR: BLACK & WHITE
CCT: 3000K, 4000K, 6000K



ECO

RECESSED PANEL



CODE	POWER	CUT. SIZE	SHAPE	BEAM ANGLE	IP
TR-ECO(P)/8W	8W	100MM	ROUND/SQUARE	120°	IP 20
TR-ECO(P)/15W	15W	150MM	ROUND/SQUARE	120°	IP 20
TR-ECO(P)/22W	22W	200MM	ROUND/SQUARE	120°	IP 20

BODY COLOR: WHITE
CCT: 3000K, 4000K, 6000K, 3in1





COB LIGHTS COLLECTION



DELTA

COB



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-DEL/7W	7W	Φ55MM	38°	IP 20
TR-DEL/12W	12W	Φ75MM	38°	IP 20
TR-DEL/18W	18W	Φ80MM	38°	IP 20
TR-DEL/30W	30W	Φ130MM	60°	IP 20

BODY COLOR: BLACK & WHITE
CCT: 3000K, 4000K, 6000K, 3IN1



GRACE COB



GRACE

COB



Detachable



WH+WH



BK+BK



WH+BK



2
YEARS
WARRANTY



ECO
FRIENDLY



ROBUST
DESIGN



LONG
LIFE



EXCELLENT
CRI

CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-GRC/7W	7W	Φ 55MM	38°	IP20
TR-GRC/12W	12W	Φ 75MM	38°	IP20
TR-GRC/18W	18W	Φ 95MM	38°	IP20

BODY COLOR: WHITE, BLACK
REFLECTOR: WHITE, BLACK
CCT: 3000K, 4000K, 6000K



TRIMLES GRACE



GRACE TRIMLESS

COB



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-GRC/7W	7W	Φ 55MM	38°	IP20
TR-GRC/12W	12W	Φ 75MM	38°	IP20

REFLECTOR: WHITE, BLACK
CCT: 3000K, 4000K, 6000K



LUKE

COB



BK-BK



WH+RG



BL+GD



WH+BK



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-LUK/07W	7W	Φ 65MM	45°	IP20
TR-LUK/12W	12W	Φ 80MM	45°	IP20
TR-LUK/18W	18W	Φ 90MM	45°	IP20

REFLECTOR



BODY COLOR: BLACK, WHITE
CCT: 3000K, 4000K, 5000K, 6000K



SIGMA

COB



WH



WH-GD



WH-BK



BK-GD



BK-BK



BK-WH



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-SGM/7W	7W	60 MM	45°	IP20
TR-SGM/12W	12W	75MM	45°	IP20

REFLECTOR



BODY COLOR: BLACK & WHITE
CCT: 3000K, 4000K, 6000K



AMBER

COB



CODE	POWER	CUT SIZE	BEAM ANGLE	IP
TR-AMB/4W	4W	55MM	38°	IP20
TR-AMB/12W	12W	80MM	38°	IP20
TR-AMB/18W	18W	100MM	38°	IP20
TR-AMB/30W	30W	132MM	45°	IP20
TR-AMB/50W	50W	145MM	45°	IP20

BODY COLOR: WHITE
CCT: 3000K, 4000K, 6000K



COOPER LOW DEEP

COB



Less Than 2 inch



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-CPR/12W	12W	Φ 75MM	38°	IP 20

BODY COLOR: BLACK (SATIN REFLECTOR)
CCT: 3000K, 4000K, 6000K



GLORY

COB



WHITE



BRASS



GREY



BLACK



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-GLO/7W	7W	Φ 55MM	38°	IP20
TR-GLO/12W	12W	Φ 75MM	38°	IP20
TR-GLO/18W	18W	Φ 85MM	38°	IP20

BODY COLOR: WHITE, BLACK, BRASS ANTIQUE
CCT: 3000K, 4000K, 6000K





VENICE

COB



WHITE



BLACK




CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-VEN/7W	7W	Φ 35MM	28°	IP20
TR-VEN/12W	12W	Φ 50MM	36°	IP20

BODY COLOR: WHITE, BLACK
CCT: 4000K



WALL WASHER

COB



CODE	POWER	CUT. SIZE	IP
TR-WAW/7W	12W	Φ 75MM	IP20

BODY COLOR: WHITE
CCT: 3000k, 4000K, 6000K



EVO

COB



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-EVO/06W	6W	Φ 50MM	24°	IP20
TR-EVO/12W	12W	Φ 75MM	24°	IP20

BODY COLOR: WHITE (With Black Reflector)
CCT: 3000K, 4000K



SMALL



CUTOUT



PLUTO

COB



ROSE GOLD



BLACK



BLACK



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-PLU/03W	3W	Φ 35MM	38°	IP 20

BODY COLOR: BLACK & COPPER FINISH
CCT: 3000K, 4000K



PLUTO CURVE

COB



ROSE GOLD



BLACK



WHITE



CODE	POWER	CUT SIZE	BEAM ANGLE	IP
TR-PLU(C)/03W	3W	Φ 25MM	36°	IP 20

BODY COLOR:
WHITE, GUN BLACK & ROSE GOLD
CCT: 3000K, 4000K





THE SMART SERIES

Driven by a desire to push beyond conventional boundaries, our designers break restrictions to create superior products. The SMART series embodies this innovation, featuring a dual-end swing capability with a full 360° horizontal rotation and a 30° vertical adjustment for precise control.

Available in classic white finishes, the SMART series utilizes an advanced optical lens design with beam angle options of 15°, 25°, and 36°. Versatile enough for any setting—from residential to commercial—it is the ideal solution for everything from focused accent lighting to broad ambient illumination.

PULL OUT

COB



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-PUL/12W	12W	Φ 75MM	38°	IP20

BODY COLOR: WHITE, BLACK (With Black Reflector)
CCT: 3000K, 4000K, 6000K





Small
Mounting
Depth

VICTOR

VICTOR


COB



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-VIC/10W	10W	Φ53x66MM	38°	IP20

BODY COLOR: WHITE (With Black Reflector)
CCT: 3000K, 4000K





EIFFEL **COB**




CODE	POWER	CUT. SIZE	SHAPE	BEAM ANGLE	IP
TR-EFL/7W	7W	Φ 65MM	ROUND	38°	IP20

BODY COLOR: BLACK
CCT : 4000K



LINEARS



LEXUS

COB



WH+BK



WH+GD



BK+GD



BK+BK



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-LNR/06W	6W	Φ 58x35MM	30°	IP20
TR-LNR/12W	12W	Φ 137x35MM	30°	IP20
TR-LNR/20W	20W	Φ 237x37MM	30°	IP20

REFLECTOR



BLACK



ROSE GOLD

BODY COLOR: WHITE, BLACK
REFLECTOR: BLACK, ROSE GOLD
CCT: 3000K, 4000K



ELINA

COB



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-LNR/06W	6W	Φ 16x106MM	24°	IP20
TR-LNR/12W	12W	Φ 16x205MM	24°	IP20
TR-LNR/20W	18W	Φ 16x300MM	24°	IP20

REFLECTOR



BLACK

BODY COLOR: WHITE, BLACK
CCT: 4000K



ELINA TRIMLESS

COB



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-LNR/12W	12W	Φ 137x35MM	30°	IP20
TR-LNR/18W	18W	Φ 237x37MM	30°	IP20

REFLECTOR



BLACK

BODY COLOR: WHITE
CCT: 4000K



WISTO

COB



CODE	POWER	CUT. SIZE	DIMENSIONS	IP
TR-WIS/18W	18W	Φ 585x25MM	600x38	IP20

REFLECTOR



BLACK

BODY COLOR: BLACK
CCT: 4000K



GALAXY
COB



CODE	POWER	BEAM ANGLE	IP
TR-WIS/14W	7WX2	30°	IP20
TR-WIS/24W	12WX2	36°	IP20
TR-WIS/24W	18WX2	36°	IP20

BODY COLOR: WHITE
CCT: 3000K, 4000K



DUAL

COB



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-DUL/14W	7Wx2	Φ 55x115MM	38°	IP20

BODY COLOR: WHITE (With Black Reflector)
CCT: 3000K, 4000K, 6000K



ORB

COB



↓ JUST POP IT OUT



CODE	POWER	CUT. SIZE	BEAM ANGLE	IP
TR-ORB/24W	12WX2	Φ 145x75MM	36°	IP20

BODY COLOR: BLACK (With Black Reflector)
CCT: 3000K, 4000K



SURFACE LIGHT



MOON SURFACE

PANEL



CODE	POWER	SHAPE	HOUSING	BEAM ANGLE	IP
TR-MSR/8W	8W	ROUND	PVC	120°	IP20
TR-MSR/15W	15W		PVC	120°	IP20
TR-MSR/22W	22W		PVC	120°	IP20
TR-MSF/24W	24W		ALUMINIUM	120°	IP20
TR-MSF/36W	36W	ROUND	ALUMINIUM	120°	IP20
TR-MSF/48W	48W		ALUMINIUM	120°	IP20

BODY COLOR: BLACK, WHITE
CCT: 3000K, 4000K, 6000K, 3in1



OMEGA CYLINDER

SURFACE COB



WH+WH



WH+RG



WH+BK



BK+BK



BK+RG



BK+WH



CODE	POWER	DIMENSION	BEAM ANGLE	IP
TR-OCY/8W	8W	Φ 55x70MM	38°	IP20
TR-OCY/12W	12W	Φ 70x90MM	45°	IP20
TR-OCY/22W	22W	Φ 85x100MM	45°	IP20
TR-OCY/30W	30W	Φ 95x120MM	45°	IP20

Aluminium Housing
Dust Proof Durable

REFLECTOR



BODY COLOR: WHITE, BLACK
CCT: 3000K, 4000K, 6000K



XYLO

SURFACE COB



BL+RG



BL+BL

CODE	POWER	DIMENSION	BEAM ANGLE	IP
TR-OMG/8W	8W	Φ 63x80MM	38°	IP20
TR-OMG/12W	12W	Φ 78x90MM	45°	IP20

REFLECTOR



BODY COLOR: WHITE, BLACK
CCT: 3000K, 4000K, 6000K




SURFACE LIGHT



ALPHA

SURFACE COB



360° Movable



CODE	POWER	DIMENSION	BEAM ANGLE	IP
TR-ACY/8W	8W	D:60,H:80MM	38°	IP20
TR-ACY/15W	15W	D:75,H:90MM	38°	IP20

REFLECTOR



BLACK



ROSE GOLD

BODY COLOR: BLACK
CCT: 3000K, 4000K, 6000K



GLOBE

SURFACE COB



MATT BLACK



BRASS



GREY



CODE	POWER	DIMENSION	BEAM ANGLE	IP
TR-GLB/8W	8W	D:56,H:58MM	38°	IP20
TR-GLB/15W	12W	D:68,H:66MM	38°	IP20
TR-GLB/15W	18W	D:82,H:77MM	38°	IP20

REFLECTOR



BLACK

BODY COLOR: BLACK, BRASS, GREY
CCT: 3000K, 4000K, 6000K



LUXE

SURFACE COB



CODE	POWER	DIMENSION	BEAM ANGLE	IP
TR-LUX/12W	12W	D:55,H:65MM	36°	IP20
TR-LUX/15W	15W	D:75,H:95MM	36°	IP20

BODY COLOR: CHARCOAL GREY
CCT: 3000K, 4000K



NEO

SURFACE COB



CODE	POWER	ANGLE	IP
TR-NEO/07W	7W	360° Movable	IP20

BODY COLOR: BLACK
CCT: 3000K, 4000K, 6000K



FUSION GLASS

SURFACE COB



CODE	POWER	ANGLE	IP
TR-FSG/8W	8W	100°	IP20
TR-FSG/15W	15W	100°	IP20

BODY COLOR: BLACK
CCT: 3000K



MINI

SURFACE COB



ROSE GOLD



BLACK

CODE	POWER	DIMENSION	BEAM ANGLE	IP
TR-MSR/02W	2W	D:35,H:20MM	45°	IP20
TR-MSR/03W	3W	D:40,H:20MM	45°	IP20

BODY COLOR: ROSE GOLD, BLACK
CCT: 3000K



STRIKER

SURFACE COB



CODE	POWER	DIMENSION	BEAM ANGLE	IP
TR-STR/03W	3W	D:35,H:20MM	120°	IP65

BODY COLOR: ROSE GOLD, BLACK, BRASS
CCT: 3000K



JEWEL

SURFACE COB



GOLD



GUN BLACK

CODE	POWER	DIMENSION	ANGLE	IP
TR-JWL/12W	12W	D:75,H:115MM	38°	IP20

CCT: 3000K, 4000K
BODY COLOR: GOLDEN, GUN BLACK



IP CYLINDERS

SURFACE COB



CODE	POWER	DIMENSION	ANGLE	IP
TR-IPC/30W	30W	D:75,H:115MM	38°	IP20
TR-IPC/50W	50W		38°	IP20

CCT: 3000K 4000K
BODY COLOR: BLACK



PROFESSIONAL STRIPS DRIVER



STRIP LIGHT

AIR STRIP

CODE	LENGTH	WIDTH	LED	IP	VOLTAGE	COLOR
TR-STL/201	5 MTR.	5MM	120/180	IP20	12V	3000K, 4000K,
TR-STL/202	5 MTR.	8MM	120	IP20	12V	3000K, 4000K
TR-STL/203	5 MTR.	10MM	240	IP20	12V	3000K, 4000K, 6000K
TR-STL/204	10 MTR.	10MM	240LED (Driverless)	IP20	220V	3000K, 4000K
TR-STL/205	5 MTR.	10MM	240LED	IP65	24V	3000K
TR-STL/206/2835	50 MTR.	12MM	120	IP65	-	3000K, 4000K, 6000K



NOVA

DRIVER (12V)

Full
Efficiency



Push Lock Connector
for Easy Installation

CODE	AMP.	WATTAGE	PF	IP
TR-NOV/36W	3Amp.	36W	>0.9	IP20
TR-NOV/60W	5Amp.	60W	>0.9	IP20
TR-NOV/120W	10Amp.	120W	>0.9	IP20
TR-NOV/192W	16Amp.	192W	>0.9	IP20
TR-NOV/300W	25Amp.	300W	>0.9	IP20

ATOM

DRIVER (12V)

70%
EFFICIENCY




Push Lock Connector
for Easy Installation

Push Lock Connector
for Easy Installation


CODE	AMP.	WATTAGE	PF	IP
TR-ATM/36W	5Amp.	36W	>0.9	IP20
TR-ATM/60W	10Amp.	60W	>0.9	IP20
TR-ATM/240W	20Amp.	240W	>0.9	IP20

PROFILE



01




TR 7X9 CONCEAL




02




TR 10X10 CONCEAL




03




TR 11X7 CONCEAL




04




TR 12X7 CONCEAL




05




TR 17X7 CONCEAL (ECO)




06



TR 17X7 SURFACE ECO




07




TR 17X7 CONCEAL

Digitech 180gm




08




TR 17X7 SURFACE


Digitech 180gm




09




TR 25X9 CONCEAL



10




TR 25X9 SURFACE



11




TR 35X12 CONCEAL




12




TR 35X12 SURFACE




13




TR 50X12 CONCEAL




14




TR 50X12 SURFACE




15




TR 75X35 CONCEAL




16




TR 100X35 CONCEAL



17




TR 150X35 CONCEAL




BLACK PROFILE


09




TR 7X9 BLACK +WH CONCEAL



10




TR 17X7 BLACK +WH (CONCEAL)




CORNER PROFILE


11




TR 8X8 CORNER PROFILE




12




TR 16X16 CORNER PROFILE




13




TR 30X30 CORNER PROFILE



14




TR 84X30 CORNER PROFILE



15




TR 70X70 CORNER PROFILE




ARCHITECTURAL PROFILE




WARDROBE PROFILE




WARDROBE PROFILE





CURTAIN GRAZER



SHADOW PROFILE Wall Washer



ROUND Wall Washer




ARCHITECTURAL PROFILE

01




TR SKIRTING PROFILE 80x180MM



02





UP -DOWN PROFILE



03



TR 10X12 GLASS PROFILE



TRACK LIGHTS



TRACK LIGHT




CODE	POWER	BODY COLOR	HOUSING	IP
TR-TRL/401/15W	15W	BLACK	ALUMINUM	IP20
TR-TRL/401/24W	24W	BLACK/WHITE	ALUMINUM	IP20
TR-TRL/401/36W	36W	BLACK/WHITE	ALUMINUM	IP20

AVAILABLE IN : 3000K, 4000K, 6000K
BODY COLOR: BLACK, WHITE



AXIS

LINEAR TRACK LIGHT



upto 180° Adjustable



CODE	POWER	BODY COLOR	ANGLE	IP
TR-LNR/402/10W	24W	BLACK	180° ADJUSTABLE	IP20

AVAILABLE IN : 4000K



VICTOR

TRACK LIGHT

Switch 3in1

180° Adjustable



CODE	POWER	BODY COLOR	IP
TR-LNR/402/24W	24W	BLACK	IP20

BODY COLOR: BLACK
CCT : 3IN1



TRACK

ACCESSORIES

SURFACE TRACK PLATE



TRACK JOINTERS



CODE	ITEM NAME	BODY COLOR	SIZE & TYPE
TR-TRC/404	TRACK	BLACK/WHITE	1MTR. and 2 MTR.
TR-TRC/405	SURFACE TRACK PLATE	BLACK/WHITE	-
TR-TRC/406	TRACK JOINTERS	BLACK/WHITE	I-Jointer, L-Jointer

MAGNETIC



Snap On- Snap Off-
Lights On



MAGNETIC CHANNEL

CONCEAL /SURFACE



CODE	LENGTH	BODY COLOR	TYPE
TR-MCL/804/1M	1 METER	BLACK	CONCEAL/ SURFACE
TR-MCL/805/2M	2 METER	BLACK	CONCEAL/ SURFACE
TR-MCL/805/3M	3 METER	BLACK	CONCEAL/ SURFACE

MAGNETIC " L"

JOINTER



CODE	ITEM NAME	BODY COLOR	SIZE
TR806	CONCEAL L JOINTER	BLACK	80MM X 80 MM

I CONNECTOR

MODULE

CODE	BODY COLOR	NAME
TR-ICNT/807	BLACK	I CONNECTOR MODULE
TR-LCNT/808	BLACK	L CONNECTOR MODULE



DIFFUSED LINEAR

MAGNETIC



Magnetic Linear



Magnetic Corner

CODE	POWER	SIZE	LUMENS	BODY COLOR	CCT	ALSO AVAILABLE IN
TR-LNT801	12W	L300xW22xH25	>100 lm/W	BLACK	3K,4K,6K	DIMMABLE & TUNABLE (3 IN1)
TR-LNT801	20W	L600xW22xH25 MM	>100 lm/W	BLACK	3K,4K,6K	DIMMABLE & TUNABLE (3 IN1)
TR802	30W	L900xW22xH25MM	>100 lm/W	BLACK	3K,4K,6K	DIMMABLE & TUNABLE (3 IN1)
TR802	20W	L300 + 300 X W22 X H25	>100 lm/W	BLACK	3K,4K,6K	DIMMABLE & TUNABLE (3 IN1)

LINEAR SPOT

MAGNETIC



CODE	POWER	SIZE	LUMENS	BODY COLOR	IP	CRI
TR-LSP/803	6W	112x22x25MM	>100 lm/W	BLACK	IP20	>90
TR-LSP/803	12W	220X22X25MM	>100 lm/W	BLACK	IP20	>90
TR-LSP/803	18W	338x22x25MM	>100 lm/W	BLACK	IP20	>90

Available in
3000K,4000K, 6000K, 3in1



Energy Saving



Architect Choice



Angle adjustable



Best Color
Rendering

LINEAR WALL WASHER

MAGNETIC



CODE	POWER	SIZE	LUMENS	BODY COLOR	IP	CRI
TR-WS/810	12W	220X22X25MM	>100 lm/W	BLACK	IP20	>90



TRACK SPOT

LIGHT



CODE	POWER	SIZE	LUMENS	BODY COLOR	CCT	ALSO AVAILABLE IN
TR-TSL/12	12W	220X22X25MM	>100 lm/W	BLACK	3K, 4K, 6K	DIMMABLE & TUNABLE 3 IN1
TR-TSL/20W	20W		>100 lm/W	BLACK	3K, 4K, 6K	-
TR-TSL/30W	30W		>100 lm/W	BLACK	3K, 4K, 6K	-

Available in 4000 K



SQUARE SPOT

MAGNETIC



CODE	POWER	SIZE	LUMENS	BODY COLOR	IP	CRI
TR-SPL/9W	9W	220X22X25MM	>100 lm/W	BLACK	IP20	>90

DRIVER

MAGNETIC



CODE	WATTAGE	ALSO AVAILABLE IN
TR-DR/809/100	100W	DIMABLE & TUNABLE
TR-DR/809/200	200W	DIMABLE & TUNABLE



MAGNETIC CHANNEL

CONCEAL /SURFACE



CODE	LENGTH	BODY COLOR	TYPE
TR-MCL/804/1M	1 METER	WHITE	CONCEAL/ SURFACE
TR-MCL/805/2M	2 METER	WHITE	CONCEAL/ SURFACE
TR-MCL/805/3M	3 METER	WHITE	CONCEAL/ SURFACE

MAGNETIC " L"

JOINTER



CODE	ITEM NAME	BODY COLOR	SIZE
TR806	CONCEAL L JOINTER	WHITE	80MM X 80 MM

I CONNECTOR

MODULE

CODE	BODY COLOR	NAME
TR-ICNT/807	WHITE	I CONNECTOR MODULE
TR-LCNT/808	WHITE	L CONNECTOR MODULE



DIFFUSED LINEAR

MAGNETIC



Magnetic Linear

CODE	POWER	SIZE	LUMENS	BODY COLOR	CCT
TR-LNT801	12W	L300xW22xH25	>100 lm/W	WHITE	3K,4K,6K
TR-LNT801	20W	L600xW22xH25 MM	>100 lm/W	WHITE	3K,4K,6K
TR802	30W	L900xW22xH25MM	>100 lm/W	WHITE	3K,4K,6K


LINEAR SPOT

MAGNETIC



CODE	POWER	SIZE	LUMENS	BODY COLOR	IP	CRI
TR-LSP/803	6W	112x22x25MM	>100 lm/W	WHITE	IP20	>90
TR-LSP/803	12W	220X22X25MM	>100 lm/W	WHITE	IP20	>90
TR-LSP/803	18W	338x22x25MM	>100 lm/W	WHITE	IP20	>90

Available in
3000K,4000K, 6000K, 3in1



Energy Saving



Architect Choice



Angle adjustable



Best Color
Rendering

LINEAR WALL WASHER

MAGNETIC



CODE	POWER	SIZE	LUMENS	BODY COLOR	IP	CRI
TR-WS/810	12W	220X22X25MM	>100 lm/W	BLACK	IP20	>90



TRACK SPOT

LIGHT



CODE	POWER	SIZE	LUMENS	BODY COLOR	CCT	ALSO AVAILABLE IN
TR-TSL/12	12W	220X22X25MM	>100 lm/W	BLACK	3K, 4K, 6K	DIMMABLE & TUNABLE 3 IN1
TR-TSL/20W	20W		>100 lm/W	BLACK	3K, 4K, 6K	-
TR-TSL/30W	30W		>100 lm/W	BLACK	3K, 4K, 6K	-

Available in 4000 K





DRIVER

MAGNETIC



CODE	WATTAGE	BODY COLOR	ALSO Available in
TR-DR/809/100	100W	WHITE	DIMMABLE & TUNABLE 3 IN1
TR-DR/809/200	200W		-

SLIM

ULTRA

MANGNETIC
LIGHT



LINEAR WALL WASHER

CONCEAL /SURFACE



CODE	POWER	SIZE (MM)	BODY COLOR	LUMENS	BEAM ANGLE	CCT
TR-MCL/LWW/6W	6W	118x22x95	BLACK	>75 lm/W	24°	3K, 4K
TR-MCL/LWW/12W	12W	130x22x95	BLACK	>75 lm/W	24°	3K, 4K

LINEAR SPOT

CONCEAL /SURFACE



CODE	POWER	SIZE (MM)	BODY COLOR	LUMENS	BEAM ANGLE	CCT
TR-MCL/LS/12W	12W	300x11	BLACK	>75 lm/W	24°	3K, 4K

LINEAR DIFFUSED

CONCEAL /SURFACE



CODE	POWER	SIZE (MM)	BODY COLOR	LUMENS	BEAM ANGLE	CCT
TR-LDC/LS/12W	12W	300x11	BLACK	>75 lm/W	120°	3K, 4K

SPOT

CONCEAL /SURFACE



CODE	POWER	SIZE	BODY COLOR	LUMENS	BEAM ANGLE	CCT
TR-LDC/LS/12W	12W	Ø 45x110	BLACK	>75 lm/W	24°	3K, 4K

FOCUSING TRACK SPOT

CONCEAL /SURFACE



CODE	POWER	SIZE	BODY COLOR	LUMENS	BEAM ANGLE	CCT
TR-LDC/LS/7W	7W	Ø 35x90	BLACK	>75 lm/W	10-36°	3K, 4K

SQUARE TRACK SPOT

CONCEAL /SURFACE




CODE	POWER	SIZE	BODY COLOR	LUMENS	BEAM ANGLE	CCT
TR-ST5/12W	12W	Ø 64x64x44	BLACK	>75 lm/W	24°	3K, 4K

CONNECTING ACCESORIES

ACCESSORIES

RECESSED JOINTER



CORNER MODULE



CORNER MODULE

I-Module



INPUT MODULE

2 Wire



POWER SUPPLY

150W (in Built)



100W (Concealed) 48V

200W (Concealed) 48V



*to be used
with input Module 2Wire




MAGNETIC TRACK
SURFACE



MAGNETIC TRACK
CONCEALED



A photograph of a modern, multi-level staircase at night. The stairs are made of dark, speckled concrete. A metal handrail with glass panels runs along the left side of the stairs. The wall to the left of the stairs is a textured, light-colored concrete. Several small, rectangular, recessed footlights are installed in the wall, casting a warm glow on the steps. The background shows a modern building with large glass windows and doors, some of which are illuminated from within. The sky is dark blue.

FOOT LIGHT

FOOT LIGHT

FOOT
LIGHT



2 MODULE FOOT LIGHT (SQ)

CODE : TR/FL101

POWER : 2W, 3W

BODY COLOR : BLACK/WHITE



VENUE FOOT LIGHT (RD)

CODE : TR/FL102

POWER : 3W

BODY COLOR : BLACK/WHITE



EYE FOOT LIGHT

CODE : TR/FL103

POWER : 3W

BODY COLOR : BLACK



SLEEK FOOT LIGHT

CODE : TR/FL104

POWER : 3W

BODY COLOR : BLACK



GRANDE FOOT LIGHT

CODE : TR/FL105

POWER : 5W5

BODY COLOR : BLACK



Streamlined
lighting for modern
spaces!


PANEL & LINEAR LIGHT

2X2 PANEL



CODE	POWER	SHAPE	CUT SIZE	BEAM ANGLE	IP
TR-2x2/48W	48W	SQUARE	600M	120°	IP20

***NOW YOU CAN TURN
YOUR OFFICE LIGHTS → Surface Light**




CCT: 3000K, 4000K, 6000K



LINEAR

HANGING



CODE	POWER	Length	SIZE (LXWXH)	LUMENS
TR-LNH/40W	40W	4ft.	35x70 / 50x70	>100 lm /W
TR-LNH/60W	60W	8ft.	35x70 / 50x70	>100 lm /W
TR-LNH/80W	80W	12ft.	35x70 / 50x70	>100 lm /W
TR-LNE/40W	40W	4FT	35x70	>100 lm /W

AVAILABLE UPTO 12FT.

AVAILABLE IN : 3000K, 4000K, 6000K
BODY COLOR: BLACK, WHITE



STREAK

FLOOD LIGHT



Pressure Die Cast Aluminium with toughened glass cover

CRI>90 PF> 0.9

CODE	POWER	IP	LUMENS
TR-STK/601/50W	50W	IP66	>100 lm /W
TR-STK/602/100W	100W	IP66	>100 lm /W
TR-STK/604/200W	200W	IP66	>100 lm /W

50k
Burning
Hours

>70
CRI

4kV
Surge
Protection

AVAILABLE IN : WHITE

OPERATING TEMP. RANGE: -20°C to 50°C

AQUA

FLOOD LIGHT



Aluminum Case with
Waterproof Design



Heat Sinks for Better
Thermal Dissipation

Toughened Glass



180° Adjustable Bracket
for Easy Installation

Pressure Die Cast Aluminium with toughened glass cover

CRI>90 PF> 0.9

CODE	POWER	SIZE (LxWxH)	LUMENS
TR-AQA/601/50W	50W	205MM X 193MM X 41MM	>100 lm /W
TR-AQA/602/100W	100W	275MM X 205MM X 42MM	>100 lm /W
TR-AQA/603/150W	150W	337MM X 258MM X 43MM	>100 lm /W
TR-AQA/604/200W	200W	387MM X 298MM X 43MM	>100 lm /W

AVAILABLE IN : WHITE, WARM WHITE,
NATURAL WHITE, GREEN

OPERATING TEMP. RANGE: -20°C to 50°C

BACKCHOKE

Flood



Aluminium Body with **Backchoke** & toughened glass

CRI>90 PF> 0.9

CODE	POWER	LUMENS
TR-BCH/651/100W	100W	>100 lm /W
TR-BCH/652/200W	200W	>100 lm /W
TR-BCH/653/300W	300W	>100 lm /W
TR-BCH/654/400W	400W	>100 lm /W
TR-BCH/655/500W	500W	>100 lm /W

AVAILABLE IN : WHITE

OPERATING TEMP. RANGE: -20°C to 50°C

OVAL STREET LIGHT



Oval Shape Pressure Die Cast Aluminium (Lens PAD)

CRI>90 PF> 0.9 IP65

CODE	POWER	LUMENS
TR-OVL/701/24W	24W	>100 lm /W
TR-OVL/702/36W	36W	>100 lm /W
TR-OVL/703/50W	50W	>100 lm /W
TR-OVL/704/100W	100W	>100 lm /W

Operating Temp. Range: -20°C to 50°C

PREMIUM

STREET LIGHT



Aluminium Body with toughened glass cover

CRI>90 PF> 0.9 IP65

CODE	POWER	LUMENS
TR-PST/701/24W	24W	>100 lm /W
TR-PST/702/36W	36W	>100 lm /W
TR-PST/703/54W	54W	>100 lm /W
TR-PST/703/72W	72W	>100 lm /W
TR-PST/704/100W	100W	>100 lm /W

Operating Temp. Range: -20°C to 50°C

Elevate Your Exterior with
Trabo's Outdoor Lights

FACADE LIGHTS



ELEVATION LIGHTS

OUTDOOR



2 WAY ECO

CODE : TR-WE/601/2W
POWER : 2W



2 WAY NEO

CODE : TR-WN/601/2W
POWER : 2W



4 WAY WARM WHITE

CODE : TR-WW/601/4W
POWER : 4W



4 WAY AUTO CHANING

CODE : TR-AC/601/4W
POWER : 4W



4+1

CODE : TR-4+1/601/4W
POWER : 4W



6+1

CODE : TR-6+1/601/7W
POWER : 7W



GLASS SMALL

CODE : TR-GS/601/4W
POWER : 4W



GLASS BIG

CODE : TR-GB /601/8W
POWER : 8W

ELEVATION LIGHTS

OUTDOOR



JOY (Two Way)

CODE : TR-JOY/4W

POWER : 4W



JOY (One Way)

CODE : TR-JOY/2W

POWER : 2W



CYLINDER SMALL

CODE : TR-CS/601/5W


POWER : 5W



CYLINDER BIG

CODE : TR-CB/601/10W

POWER : 10W



OPAL

CODE : TR-OP/601/6W

POWER : 6W



FLARE

CODE : TR-FL/601/6W

POWER : 6W



ELEVATION LIGHTS

OUTDOOR

Vision Series



SLEEK | 6W

CODE : TR-SLK/601/6W




VISION | 2W

CODE : TR-VIS/601/2W




VISION | 4W

CODE : TR-VIS/601/4W



VISION | 8W

CODE : TR601/16W



VISION | 12W

CODE : TR-VIS/601/12W

LINEAR

WALL WASHER



Pressure Die Cast Aluminium with toughened glass cover

CRI>90 PF> 0.9

CODE	POWER	SIZE (LxWxH)	IP
TR-LNR/601/36W	36W	1000MM X 40MM X 27MM	IP67

AVAILABLE IN :WARM WHITE

OPERATING TEMP. RANGE: -20°C to 50°C

BEAMER

LENS LIGHT



CODE	POWER	IP RATING
TR-BMR/501/12W	12W	ECO IP67 WATERPROOF
TR-BMR/502/18W	18W	ECO IP67 WATERPROOF

AVAILABLE IN : WARM WHITE



A photograph of four Trabo 18W Spike Lights installed in a grassy lawn at night. The lights are black with a circular lens and a spike base. They are arranged in a diagonal line from the foreground to the background, casting a warm, yellow glow on the grass. In the background, there are dark silhouettes of trees and a building. A red vertical bar is visible on the left side of the image.

FOOT LIGHT

Trabo 18W Spike Light delivers ultra-bright illumination with its powerful **LED technology**".

GARDEN LIGHT

SPIKE



CODE	POWER	LUMENS	SURGE AND WITHSTAND VOLT	CRI	IP RATING
TR-GRL/500/06W	6W	550LM	2.5 KV/380 Vac	>80%	IP66 WATERPROOF
TR-GRL/500/12W	12W	1050 LM	4 KV/380 Vac	>80%	IP66 WATERPROOF

AVAILABLE IN : WARM WHITE, GREEN



GATE LAMP

OUTDOOR

GLORY

CODE : TR-GR/602/

POWER : Bulb



MUSHROOM

CODE : TR-MUS-M601/16W

POWER : 16W

BOLLARD



BOLLARD LIGHT

OUTDOOR



CUBE

CODE : TR-CUB/12W

POWER : 12W

Size : 24 Inches



MUSHROOM

CODE : TR-MUS/16W

POWER : 16W

Size : 12 Inches | 24 Inches



COMPASS

CODE : TR-COM/16W

POWER : 12W

Size : 24 Inches



PRISM

CODE : TR-PR/6W

POWER : 6W

Size : 24 Inches



WISDOM

CODE : TR-WIS/14W

POWER : 14W

Size : 12 Inches |

24 Inches



BOLLARD LIGHT

OUTDOOR

CURVE

CODE : TRBOCU601/10W

POWER : 10W

Size : 24 Inches

Body : Grey Color

IP : 65



UMBRELLA

CODE : TRBOUM/5W

POWER : 5W

Size : 24 Inches

Body : Grey Color

IP : 65



EYE

CODE:BOEYE

Size: 24 Inches

Body: Grey Color

IP: 65

POWER : 5W



POWER : 10W

Good lighting takes good planning

Give your property's lighting design the benefit of professional advice. With Trabo Light Planning Service you get expert guidance to achieve the right effect using the key features of your building's architecture, as well as evoke the right mood in your interior spaces



Enhance the ambiance of your living space

Match your style with **TRABO** which comes with a long-lasting LED light source that illuminates with a powerful & concentrated beam. settings such as bedrooms & living rooms.





TRABO LED LIGHTS

Head Office: 21, 2nd Floor, 18A-Takshila Complex,
Andheri -400093 Mumbai (M.H.)

Regional Office: 2nd Floor, Alark Mall,
Lalghati Square, Bhopal -462030 (M.P.)

Contact No: 888-999-1466 | 888-999-1491 | 888-999-1494

Write to us: hellotrabo@gmail.com

Specifications mentioned are based on test reports at the time of preparation of this catalogue.

- Technical products are under continuous upgradation & specification may vary 5-10%, depending on testing standards/instruments
- Value parameters are approximate
- Images are for reference purpose only, drawn from photographs & rendering
- Actual products may vary in appearance.



www.traboled.com